

检测报告

编号: CANEC2307369802

日期: 2023年05月31日 第1页,共4页

客户名称: 深圳市恒昌泰科技有限公司

客户地址: 深圳市宝安区松岗街道立业路兆丰祥大厦1209-1210号房(办公场所)

样品名称: BPE

型号: JJ1100(+)

以上样品及信息由客户提供。

SGS工作编号: CP23-022211 - SZ

样品接收日期: 2023年05月24日

检测周期: 2023年05月24日 - 2023年05月31日

检测要求: 根据客户要求检测

检测方法: 请参见下一页

检测结果: 请参见下一页

检测结果概要:

检测要求	结论
FDA 21 CFR 177.1520 - 正己烷中最大可萃取物含量	符合
FDA 21 CFR 177.1520 - 二甲苯中最大可溶物含量	符合
FDA 21 CFR 177.1520 - 密度 (23°C)	符合

通标标准技术服务有限公司广州分公司
授权签名

蔡金凤

Kim Cai 蔡金凤

批准签署人

scan to see the report



67512F58

SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663

中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com

t (86-20) 82155555 sgs.china@sgs.com

检测报告

编号: CANEC2307369802

日期: 2023年05月31日 第2页,共4页

检测结果:

检测样品描述:

样品编号	SGS样品ID	描述	材质 (客户提供)
SN1	CAN23-073698.001	白色半透明塑胶粒	PE

FDA 21 CFR 177.1520—正己烷中最大可萃取物含量

检测方法: 参考US FDA 21 CFR 177.1520 d(3)(ii)。

模拟液	时间	温度	最大允许限值	样品001	评论
正己烷	2hr(s)	50°C	5.5%(w/w)	<0.5%(w/w)	符合

备注:

(1)%w/w = 质量百分比

FDA 21 CFR 177.1520—二甲苯中最大可溶物含量

检测方法: 参考US FDA 21 CFR 177.1520 d(4)(ii)。

检测项目	限值	单位	MDL	001
二甲苯中可溶物含量	11.3	%(w/w)	0.5	6.5
评论				符合

备注:

(1)%w/w = 质量百分比

(2) ND=未检出 (小于MDL)

FDA 21 CFR 177.1520—密度 (23°C)

检测方法: 参考US FDA 21 CFR 177.1520 d(1)。

检测项目	限值	001
密度 (23°C), g/cm ³	0.850 - 1.000	0.917
评论		符合



除非另有说明, 参照ILAC-G8:09/2019, 使用简单接受 ($w=0$) 的二元判定规则进行符合性判定。
除非另有说明, 此报告结果仅对检测的样品负责。本报告未经本公司书面许可, 不可部分复制。
检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的, 仅供内部参考。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

样品照片:



此照片仅限于随SGS正本报告使用

*** 报告结束 ***

